


Applied Technology/Technology

Equipment List and Specification



Applied Technology and Technology Equipment List A

Section :	1:	Drawing	and	Design
-----------	----	---------	-----	--------

Code Quantity	Description an	d Specification	Cost €
TECH/A/101 1	Set of (magnetic) drawing equipment (i) compass with steel point (500mm), 45° set square (500mm), (iv) protracto with bevelled edges (1000mm).		
	Manufacturer:	Catalogue No.:	
TECH/A/102(A) 25	T-squares: A2 size, tape blade, best q edges to blade; blade screwed and do	uality hardwood, with maple or acrylic owelled to stock or equal.	
	Manufacturer:	Catalogue No.:	
	C	PR	
TECH/A/102(B) 25	Stainless steel T-square with fixed light with low reflectance.	nt cast aluminium head, brushed blade	
	Manufacturer:	Catalogue No.:	
TECH/A/103 25	Portable Desktop Drawing Board, A2 ply, white high pressure laminate abo corners, with rubber feet. Simple robi 20°, with rubber tractor grip to facilit		
	Manufacturer:	Catalogue No.:	
TECH/A/104 30	Graphics/DCG wooden box set, to co 60°/30° & 45° Set Squares (transpare with bevelled edge and open centre. adjustable compass, H and 2H pencils Clips.	ent heavy duty, non-brittle plastic, Sizes: 200mm, 2mm thick), quickset	
	Manufacturer:	Catalogue No.:	
TECH/A/105	1000mm Steel rule.		
2	Manufacturer:	Catalogue No.:	
TECH/A/106	Scaled rule, acrylic, 300mm, suitable	for graphics/drawing.	
24	Manufacturer:	Catalogue No.:	
TECH/A/107	300mm Steel rule.		
25	Manufacturer:	Catalogue No.:	
TECH/A/108	Circle template, acrylic type, c.2mm t	o 50mm diameter circles.	
1	Manufacturer:	Catalogue No.:	
TECH/A/109	Flexi-curve, suitable for technical gra	phics work.	
1	Manufacturer:	Catalogue No.:	
TECH/A/110	French curves, set of three, moulded	plastic with ellipse form.	
1	Manufacturer:	Catalogue No.:	
TECH/A/111	Erasing shield, stainless steel type.		
1	Manufacturer:	Catalogue No.:	
TECH/A/112	50m Surveyor's fibre measuring tape.		
1 2	Manufacturer:	Catalogue No.:	
_			
TECH/A/113 25	Cutting knife, scalpel type with dispo	-	

TECH / A / T			July 2020
TECH/A/114	Cutting mat, A3 size, plastic, self-repairing.		
25	Manufacturer:	Catalogue No.:	
TECH/A/115	Show-me boards, A3 gridded, with dr	rywipe pens and eraser.	
30	Manufacturer:	Catalogue No.:	
TECH/A/116	Scissors 250mm stainless steel.		
12	Manufacturer:	Catalogue No.:	
TECH/A/117	Scissors 140mm, 25 no. right handed	and 5 no. left handed.	
30	Manufacturer:	Catalogue No.:	
TECH/A/118	Spray mount 400ml.		
2	Manufacturer:	Catalogue No.:	
TECH/A/119 6 of each	Ready mixed water-soluble paint 500ml (red, green, brown, black, blue, yellow, white).		
	Manufacturer:	Catalogue No.:	
TECH/A/120	White foam board 3mm thick, 70x100cm.		
10	Manufacturer:	Catalogue No.:	
TECH/A/121	5m Pocket measuring tape with 19m	m blade.	
2	Manufacturer:	Catalogue No.:	
TECH/A/122	Glue guns and 100 glue sticks.		
12	Manufacturer:	Catalogue No.:	
TECH/A/123	Electronic Label maker, complete wit	h tapes.	
1	Manufacturer:	Catalogue No.:	

Section 2: Hand Tools Description and Specification Code Cost €. Quantity TECH/A/201 Beech bench hooks. 24 Catalogue No.: Manufacturer: 300mm Beech-handled tenon saw. TECH/A/202 24 Manufacturer: Catalogue No.: TECH/A/203 200mm Beech-handled dovetail saw. Manufacturer: Catalogue No.: TECH/A/204 Bench plane, smooth, 50mm cutter, adjustable for depth of cut/alignment. 12 Catalogue No.: Manufacturer: TECH/A/205 Carpenters mallet, c.115mm. 12 Catalogue No.: Manufacturer: TECH/A/206 Warrington hammer, weight: c.340 g. 24 Catalogue No.: Manufacturer: TECH/A/207 Coping Saw with 150mm blade 12 Catalogue No.: Manufacturer: TECH/A/208 Marking gauge - steel pin, thumbscrews 12 Catalogue No.: Manufacturer: TECH/A/209 Woodwork try-square, blade length: 150mm min. 12 Catalogue No.: Manufacturer: TECH/A/210 Sliding bevel (woodwork), wooden handle, hardened steel blade, locking mechanism. Manufacturer: Catalogue No.: TECH/A/211 Measuring tape, c.3m. Manufacturer: Catalogue No.: TECH/A/212 Chisels (bevel edge): 12 of each size 6mm 10mm 18mm 25_{mm} Manufacturer: Catalogue No.: TECH/A/213 Chisels (mortise): 12 of each size 6_mm 10_{mm} 18mm 25mm Manufacturer: Catalogue No.: TECH/A/214 Bit brace, c.250mm. 1 Manufacturer: Catalogue No.: **TECH/A/215** Set of auger bits, c.6mm - c.25mm to suit TECH/A/114 1 Manufacturer: Catalogue No.: TECH/A/216 Set of flat bits, c.6mm - c.25mm to suit TECH/A/114 Manufacturer: Catalogue No.: TECH/A/217 Claw hammer, tempered/hardened head, wood/metal handle, 500g (1 lb). 6 Manufacturer: Catalogue No.:

TECH / A / 2			July 2020
TECH/A/218	Carpenter's pincers, c.180mm.		
2	Manufacturer:	Catalogue No.:	
TECH/A/219	Mallet, tinsmans type, c.45mm diame	eter head.	
1	Manufacturer:	Catalogue No.:	
TECH/A/220	Mitre/corner clamp.		
2	Manufacturer:	Catalogue No.:	
TECH/A/221	Hand Mitre Saw.		
1	Manufacturer:	Catalogue No.:	
TECH/A/222 2	Set of c.5 hole-saws, complete with a diameter.	urbor, sizes from c.20mm to c.60mm	
	Manufacturer:	Catalogue No.:	
TECH/A/223 12 of each type	Files, smooth, 250mm: Half round Hand Round Square Three square		
	Manufacturer:	Catalogue No.:	
TECH/A/224	File handle for 250mm file, plastic or	wooden.	
65	Manufacturer:	Catalogue No.:	
TECH/A/225	Set of c.6 needle files.		
6	Manufacturer:	Catalogue No.:	
TECH/A/226	"Abra" (or equal) file, 250mm, mediun	-	
24	Manufacturer:	Catalogue No.:	
TECH/A/227	Engineer's inside spring caliper, c.150mm.		
2	Manufacturer:	Catalogue No.:	
TECH/A/228	Engineer's outside spring caliper, c.15	50mm.	
2	Manufacturer:	Catalogue No.:	
TECH/A/229	Precision Vernier caliper, capacity c.1		
2	Manufacturer:	Catalogue No.:	
TECH/A/230	Engineer's spring divider, c.150mm.		
12	Manufacturer:	Catalogue No.:	
TECH/A/231	Engineer's centre punch, c.100mm.	J. Company	
12	Manufacturer:	Catalogue No.:	
TECH/A/232	Engineer's fully integrated scriber, do		
24	Manufacturer:	Catalogue No.:	
TECH/A/233	Engineer's steel square, blade c.120m		
24	Manufacturer:	Catalogue No.:	
TECH/A/234	Stainless steel rule, pearl chrome finis		
24	Manufacturer:	Catalogue No.:	
TECH/A/235	Universal bevel, (metalwork), c.150m	_	
4	Manufacturer:	Catalogue No.:	
TECH/A/236	Set of stocks (10), dies (10), taps and		
3	from 3mm to 12mm. Circular die patt	_	
	Manufacturer:	Catalogue No.:	
TECH/A/237	File card (wooden base type), c.100m	ım x c.50mm.	
6	Manufacturer:	Catalogue No.:	

TECH / A / 2	I		July 2020
TECH/A/238	Tinmans folding bars, c.250mm		
2	Manufacturer: Catalo	gue No.:	
TECH/A/239	Pop riveting kit, complete with pliers and ass	orted rivets, industrial grade.	
2	Manufacturer: Catalo	gue No.:	
TECH/A/240	Engineers ball-pein hammer, weight: 500 g (1	. lb).	
12	Manufacturer: Catalo	gue No.:	
TECH/A/241	Tinmans snips, straight, c.200mm.		
4	Manufacturer: Catalo	gue No.:	
TECH/A/242	Tinmans snips, curved, c.200mm.		
4		gue No.:	
TECH/A/243	Hacksaw frame, 300mm, adjustable or fixed		
24		gue No.:	
TECH/A/244	Hacksaw blade, 300mm, 24 T.P.I.	See I tell	
100		gue No.:	
TECH/A/245	Junior hacksaw frame.	gue IVO	
12		gua Na :	
		gue No.:	
TECH/A/246 12	Junior hacksaw blade pack (pack of 10) Manufacturer: Catalo	aug No.	
		gue No.:	
TECH/A/247 2	Glass cutter, hand held, single or multi-wheel		
		gue No.:	
TECH/A/248 1	Hand held engraver, variable speed, 230 V; 5		
		gue No.:	
TECH/A/249	Set of letter stamps, 5mm, set of 27, Grade A		
2		gue No.:	
TECH/A/250	Set of 12 combination spanners, e.g., 8mm –	19mm, chrome finish.	
2		gue No.:	
TECH/A/251	Set of drills, HSS, parallel shank, c.1.0 to c.13	mm x 0.5mm. Set in case.	
2	Manufacturer: Catalo	gue No.:	
TECH/A/252	Set of counter sink drills, HSS, 6mm, 8mm an	d 10mm. Parallel shank 90°.	
1	Manufacturer: Catalo	gue No.:	
TECH/A/253	Leather sandbag, c.250mm diameter.		
2	Manufacturer: Catalo	gue No.:	
TECH/A/254	Boxwood bossing mallet, c.50mm diameter h	ead.	
2	Manufacturer: Catalo	gue No.:	
TECH/A/255	Vice grips, 250mm, lever release.		
4		gue No.:	
TECH/A/256	Sheet metal vice grip, 250mm, lever release.		
2		gue No.:	
TECH/A/257	Combination pliers, c.200mm.	Sec 110	
6		gue No.:	
TECH/A/258	Long-nose pliers, c.200mm.	540 No.	
6		gue No.:	
		9	
TECH/A/259 6	Set of assorted flat and Philips head screwdr	· · · · · · · · · · · · · · · · · · ·	
		gue No.:	
TECH/A/260	Nail punch, c.150mm		
4	Manufacturer: Catalo	gue No.:	

TLCIT/A/Z			July 2020
TECH/A/261	Set of Allen keys, e.g., 3mm - 10mm.		
2	Manufacturer:	Catalogue No.:	
TECH/A/262	Combination oilstone, c.200mm, coal	rse and fine faces.	
1	Manufacturer:	Catalogue No.:	
TECH/A/263	Paper guillotine, capable of cutting up	o to A3 size paper.	
6	Manufacturer:	Catalogue No.:	
TECH/A/264 6 of each size	_ ·		
	Manufacturer:	Catalogue No.:	
TECH/A/265	900mm Sash Cramps.		
12	Manufacturer:	Catalogue No.:	
TECH/A/266 1	Lathe Pen turning kit: Kit to include: Dust free Collet, Colt I drill bit, Universal pen mandrel, Lockr minimum 5 high quality pen kits, 7 & pen kit.	nut kit, Pen Blank trimming tool,	
	Manufacturer:	Catalogue No.:	

	Section 3: P	Power Tools	
Code	Description an	d Specification	Cost
Quantity	Note: Portable Tools to be supplied a	as cordless appliances, or 110 volts if is not available.	€
TECH/A/301 1	18 volt Cordless Router, portable, with capacity: 10,000 – 30,000/min, Plung 0-35mm, Collet capacity: 3/8 inch and	e Capacity: Trimmer 0-40mm, Plunge	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/302	Set of 12 Assorted Router Bits to suit	· ·	
1	Manufacturer:	Catalogue No.:	
TECH/A/303	c. 400mm X 400mm Non-Slip industri	· · ·	
1	Manufacturer:	Catalogue No.:	
TECH/A/304 1	18 volt Portable Jigsaw with toolcase, Capacity: 45°.	with charger and 2 batteries Bevel	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/305 1	Portable 12/24/110 V 50 Hz Belt San Extractor.	der with outlet compatible with Dust	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/306 1	Portable 12/24/110V 50 Hz c.600 W compatible with Dust Extractor.	motor Orbital Sander with outlet	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/307	Portable 12/24/110V 50Hz c.600W F	Palm Sander.	
1	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/308	Portable 12/24/110 V, 50 Hz Pyrogra	ph Machine.	
6	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/309 4	Rechargeable, minimum 18 V, Portable charger and two batteries.	e Cordless Drill with case, to include	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/310 1	Portable 12/24/110 V 50 Hz variable Drill with 13mm Chuck and Key.	speed double insulated electric hand	
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/311 1	Airbrush with fine, medium and heavy hose for attachment to compressed ai		
	Manufacturer:	Catalogue No.:	
TECH/A/312	Portable oil-less diaphragm type air co	ompressor for use with airbrush.	
1	Two year warranty.		
	Manufacturer:	Catalogue No.:	

	Section 4: Electronics and Control Technology			
Code Quantity	Description ar	nd Specification	Cost €	
TECH/A/401 1	Educational electronics teaching kit of demonstration of a range (c.20) simp fire alarm and motor controllers. Kit guides/texts, and suitable for a group			
	Manufacturer:	Catalogue No.:		
TECH/A/402 12	Digital multi-meter, auto-ranging fremeasurement and transistor test. Voltage a.c and d.c - c.5 ranges each V Current a.c and d.c - c.4 ranges each Resistance - c.6 ranges from 200 R > Capacitance - c.5 ranges from 2000 Frequency - c.5 ranges from 2 kHz x Diode test Continuity text Transistor test NPN and PNP			
	Two year warranty.			
	Manufacturer:	Catalogue No.:		
TECH/A/403 30	Handheld, programmable micro-computer Kit. Individually-programmable LEDs, 2 programmable buttons, Physical connection pins, Light and temperature sensors, Motion sensors (accelerometer and compass), Wireless Communication, via Radio and Bluetooth, USB interface. It should have the capability to be coded from any web browser in Blocks, Javascript, Python or Scratch. Kit to include USB connector, battery cage and protector case.			
	Manufacturer:	Catalogue No.:		
TECH/A/404	All-in-one robotics board (for micro-	computer specified in TECH/A/403).		
30	Manufacturer:	Catalogue No.:		
TECH/A/405 30	Straight single row PCB pin headers, specified in TECH/A/403).	2.54mm, 36-way (for micro-computer		
	Manufacturer:	Catalogue No.:		
TECH/A/406 30	Edge connector breakout board (for TECH/A/403).	micro-computer specified in		
	Manufacturer:	Catalogue No.:		
TECH/A/407	Jumper Wires 20cm Male / Female.			
90	Manufacturer:	Catalogue No.:		
TECH/A/408	Alligator Clip with Pigtail (4 Pack).			
90	Manufacturer:	Catalogue No.:		
TECH/A/409	Right Angle Geared Hobby Motor.			
60	Manufacturer:	Catalogue No.:		
TECH/A/410	Linear Actuator kit.			
60	Manufacturer:	Catalogue No.:		
TECH/A/411 1	Sensors for air and weather, colour a computer specified in TECH/A/403).			
	Manufacturer:	Catalogue No.:		
TECH/A/412	Mini 180 Degree Resin Gear Servo.			
60	Manufacturer:	Catalogue No.:		

TECH / A / 4			July 2020
TECH/A/413	Plastic Component Box - 15 Grid.		
90	Manufacturer:	Catalogue No.:	
TECH/A/414 1	Smart Home Kit, to include temperat sensor, servo, motor (for micro-comp kit should be capable of projects such auto window and water level detecto		
	Manufacturer:	Catalogue No.:	
TECH/A/415 10 of each	Pack/kit of accessories suitable for el to miniature motor shafts): Pack of c.10 plastic wheels, various de Pack of c.10 plastic propellers, c.100 plack of c.10 2mm steel shafting Pack of c.10 3mm steel shafting Pack of c.10 miniature pulleys, various Pack of c.10 plastic gears, various dia Pack of c.10 miniature worm gears.		
	Manufacturer:	Catalogue No.:	
TECH/A/416 24	Electric soldering iron, extra fine tip f and sponge, min30 W, 220-240 V Two year warranty.	or electronics, complete with stand	
	Manufacturer:	Catalogue No.:	
TECH/A/417 6	Temperature controlled electric solde and cleaning sponge, c.50 W, 220-24 Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/418 30	Miniature electronics tool kit, to cont strippers and screwdrivers, in approp	riate case.	
	Manufacturer:	Catalogue No.:	
TECH/A/419	Helping-hands for soldering work.		
4	Manufacturer:	Catalogue No.:	
TECH/A/420 8	LT variable voltage power supply unit Performance (approx.): DC – 0-25 V (no load) and 24V (8 A load) was featured.	pad)	
TECH/A /424	Manufacturer:	Catalogue No.:	
TECH/A/421 3	De-soldering pump, portable type. Manufacturer:	Catalogue No.:	
TECH/A/422 2 of each	Single core wire, diameter, c.1.2mm x Black reels, Red reels, Blue reels		
colour	Manufacturer:	Catalogue No.:	
TECH/A/423 2 of each	Stranded wire, diameter, c.1.4mm x c Black reels, Red reels, Blue reels	.100 m length, to include:	
colour	Manufacturer:	Catalogue No.:	
TECH/A/424 50	Extra flexible stranded wire, diameter include: Red, and Black.	-	
	Manufacturer:	Catalogue No.:	
TECH/A/425 1	Ribbon cable reel of wire, e.g., 20-wa		
1	Manufacturer:	Catalogue No.:	

TECH / A / 4			July 2020
TECH/A/426	Cable Mounting Sockets 20 way.		
24	Manufacturer:	Catalogue No.:	
TECH/A/427 100 100 100 100	Pack/kit of 4mm plugs and sockets, to 4mm Plug Red 4mm Socket Red 4mm Plug Black 4mm Socket Black		
	Manufacturer:	Catalogue No.:	
TECH/A/428 30 30 30 30 30 30 30 30	Pack/kit of battery holders and clips, 2XAA 4XAA 2XC 4XC 2XD 4XD PP3 battery snaps	to include: Catalogue No.:	
TECH/A/429	Pack/kit of micro-miniature electroly		
200 200 200 200 200 200	Variety capacitor kit suitable for simp 100uF 16v 220uF 16v 470uF 16v 1000uF 16v 2200uF	•	
	Manufacturer:	Catalogue No.:	
TECH/A/430 200 of each type	Resistors, to include: 270R 1K 2K2 4K7 10K 22K 33K 100K 150K		
	Manufacturer:	Catalogue No.:	
TECH/A/431 50 of each type	Potentiometers, to include: 1K LIN 2200K LIN 10K LIN 47K LIN 100K LIN 1M LIN 100K LIN dual control (stereo) Manufacturer:	Catalogue No :	
TECH /A /400		Catalogue No.:	
TECH/A/432 1	Arm robot kit (for micro-computer sp	1	
	Manufacturer:	Catalogue No.:	

TECH / A / 4			July 2020
TECH/A/433 150 of each type	Preset potentiometers (suitable for si include: 10K 22K 100K	mple electronic circuit building), to	
	Manufacturer:	Catalogue No.:	
TECH/A/434 80 of each type	Miniature motors, to include: High torque miniature motor, 3-6 V High power, 12 V motor Solar motor Manufacturer:	Catalogue No.:	
TECLI/A /425			
TECH/A/435 200	Motor mount (e.g., self-adhesive) to s TECH/A/434.		
	Manufacturer:	Catalogue No.:	
TECH/A/436 10	Miniature multi-ratio gearbox and mo kit form, motor to operate on c.1.5-4	otor (clearbox motor), assembled OR in 5 V power supply.	
	Manufacturer:	Catalogue No.:	
TECH/A/437 10	Miniature worm drive gearbox with meto operate on c.1.5-4.5 V power supp	notor, assembled or in kit form, motor lly.	
	Manufacturer:	Catalogue No.:	
TECH/A/438	MES lamp (bulb), 6 V/60 mA, comme	rcial grade.	
1000	Manufacturer:	Catalogue No.:	
TECH/A/439	MES lamp (bulb) holder, solder tags a	t base.	
1000	Manufacturer:	Catalogue No.:	
TECH/A/440	MES lamp (bulb) holder, spring loaded	contact, fixing centres: c.23mm.	
1000	Manufacturer:	Catalogue No.:	
TECH/A/441 100 of each colour	Pack/kit of assorted colours MES lam Red Green Orange	p holders, to include:	
	Manufacturer:	Catalogue No.:	
TECH/A/442 200 of each item	5mm LED's and clips, to include: Red Yellow Green Flashing 5mm bezel panel clips (one piece). Silicone rectifier diode IN4001 1A, 50 Silicone rectifier diode IN5401 3A, 10 Seven segment LED display, common	00V max cathode, c.13mm	
	Manufacturer:	Catalogue No.:	
TECH/A/443 60	Light dependent resistor (ORP 12 spe		
	Manufacturer:	Catalogue No.:	
TECH/A/444 100 10	Pack/kit of assorted sizes of strip-boa 25mm x 64mm 119mm x 455mm		
TECHIALAS	Manufacturer:	Catalogue No.:	
TECH/A/445 50	Pack/kit of breadboard, to include: 400 Tie points		
	Manufacturer:	Catalogue No.:	

TECH / A / 4			July 2020
TECH/A/446 50 of each type	Pack/kit of miniature relays, to includ DPDT 5A SPDT 5A SPDT 10A DPDT 8A	le:	
	Manufacturer:	Catalogue No.:	
TECH/A/447 50 50	Pack/kit of NTC thermistors, to inclu 5 k ohm 2700 ohm		
	Manufacturer:	Catalogue No.:	
TECH/A/448 100 of each type	Pack/kit of general purpose transisto ZTX321 NPN specification BC108 NPN specification BFY51 NPN specification BC109 NPN specification TIP121 Darlington NPN specification	1	
	Manufacturer:	Catalogue No.:	
TECH/A/449 50 25 25 15 15	Pack/kit of linear integrated circuits (555 Timer 741 Op Amp 3140 Op Amp 556 7400 7490	ICs), to include:	
	Manufacturer:	Catalogue No.:	
TECH/A/450 25 25 100 25	Pack/kit of miniature speakers, for ex 8 ohm 64 ohm Buzzer, 6 V (leads) Miniature piezo buzzer	cample:	
	Manufacturer:	Catalogue No.:	
TECH/A/451 75 of each type	Pack/kit of miniature switches, to incomminature toggle SPST Miniature toggle SPDT Miniature rocker Standard slide DPDTCO Push to make Push to break Push latching Tilt switch (mercury) Reed switch with magnets Microswitch button Microswitch lever Microminiature microswitch lever Manufacturer:	Catalogue No.:	
TECH/A/452	Pack/kit of miniature thyristors, to in		
50	TIC106D specification Manufacturer:	Catalogue No.:	
TECH/A/453	Control knobs, to fit c.6mm shaft.	Catalogue 110	
100	Manufacturer:	Catalogue No.:	
TECH/A/454	Low-fume / colophony free solder, 50		
10	Manufacturer:	Catalogue No.:	

TECH / A / 4	July 2020

TECH / A / 4			July 2020
TECH/A/455 6	Multiple drawer storage cabinets, plastic drawer type, wall mountable, c.60 drawer unit size.		
	Manufacturer:	Catalogue No.:	
TECH/A/456 30	Multi-compartment boxes (e.g., plast electronic circuits / components.	ic type), suitable for storing of	
	Manufacturer:	Catalogue No.:	
TECH/A/457 2	PCB Drill and stand set complete with power supply output of drill 12 V to 18 V. Chuck capacity 0.6mm to 3.2mm. Input of power supply unit 220 V to 240 V		
	Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/A/458 1	Set of Control technology teaching kits. Kits to simulate control of manufacturing processes (e.g. conveyor, sorter, pick and place) and/or examples of control technology used in society (e.g. Car park barrier, lifts, sliding doors). Kit to be accompanied with associated guides/texts, and suitable for use with a class group of students.		
	Manufacturer:	Catalogue No.:	
TECH/A/459 1	Robotic control technology teaching kit. Kit to simulate a range of robotic control applications. Kit to be accompanied with associated guides/texts and suitable for use with a class group of students.		
	Manufacturer:	Catalogue No.:	
TECH/A/460 1	Electro-pneumatic teaching kit and suitable air compressor. Capable of allowing for the demonstration of a range of circuits/systems. Kit to be accompanied with associated guides/texts and suitable for use with a class group of students.		
	Manufacturer:	Catalogue No.:	
TECH/A/461 1	Pneumatic system construction and simulation software to include library of standard pneumatic symbols; educational site licence for min. 25 users.		
	Manufacturer:	Catalogue No.:	

Section 5: Structure and Mechanisms			
Code Quantity	Description ar	nd Specification	Cost €
TECH/A/501 1	automobiles, etc. A number to include	chanisms, e.g., bridges, towers, model e appropriate power supply units.	
	Manufacturer:	Catalogue No.:	
TECH/A/502 3 of each pack/ set	Pack/set of plastic gear wheels suitable for model building, preferably of the brass hub-type, to include: Pack c.10 12 teeth Pack c.10 18 teeth Pack c.10 30 teeth Pack c.10 58 teeth Pack c.10 bevel gear Pack c.10 worm gear		
	Manufacturer:	Catalogue No.:	
TECH/A/503 3 of each pack/ set	Pack/set of pulley's suitable for mode type, to include: Pack of c.10 pulley's c.20mm diamete Pack of c.10 pulley's c.40mm diamete Pack of c.10 pulley's c.60mm diamete	er	
	Manufacturer:	Catalogue No.:	
TECH/A/504 10 of each pack	Pack of shafting/shaft converters to suit TECH/A/501 and TECH/A/502, to include: Pack of shaft converters (e.g., 6mm to 4mm and/or 4mm to 2mm) Pack of shafts (e.g., 6mm and/or 4mm shafts)		
	Manufacturer:	Catalogue No.:	
TECH/A/505 15 of each pack/set	Pack/set of plastic/wooden wheels suitable for model building/ construction work, to include: Pack plastic c.10 wheels c.60mm diameter Pack plastic c.10 wheels c.50mm diameter Pack wooden c.10 wheels c.25mm diameter Pack wooden c.10 wheels c.50mm diameter		
	Manufacturer:	Catalogue No.:	
TECH/A/506 1 box of each	M3 screws and nuts: Box M3 screws 6mm, pack of 100 Box M3 screws 12mm, pack of 100 Box M3 screws 20mm, pack of 100 Box M3 screws 25mm, pack of 100 Box M3 nuts, pack of 100 Box M3 washers, pack of 500		
	Manufacturer:	Catalogue No.:	
TECH/A/507 1 box of each	M4 screws and nuts: Box M4 screws 6mm, pack of 100 Box M4 screws 12mm, pack of 100 Box M4 screws 20mm, pack of 100 Box M4 screws 25mm, pack of 100 Box M4 nuts, pack of 100 Box M4 washers, pack of 500 Manufacturer:	Catalogue No.:	
TECH/A/508	Box of art straws.	Catalogue No	
2 2	Manufacturer:	Catalogue No.:	

Section 6: Safety Equipment			
Code Quantity	Description and Specification		Cost €
TECH/A/601 1	Wall-Mounted First Aid Cabinet c.370 equipped with minimum 24 person fir	<u> </u>	
	Manufacturer:	Catalogue No.:	
TECH/A/602	Set of minimum 6 / Laminated wall-m	ounted assorted Safety Signs.	
1	Manufacturer:	Catalogue No.:	
TECH/A/603 30	Non-mist Safety Goggles, full ventilati kite marked to BS 2092.	ion, suitable for use over spectacles,	
	Manufacturer:	Catalogue No.:	
TECH/A/604 2	Headband and ear cup type ear defen renewable sealing rings and to confor 20dB required.		
	Manufacturer:	Catalogue No.:	
TECH/A/605 12	Clearways face shields with adjustable protection while operating machine to	•	
	Manufacturer:	Catalogue No.:	
TECH/A/606	Student aprons suitable for workshop	use.	
30	Manufacturer:	Catalogue No.:	
TECH/A/607	Soap/hand cream dispenser.		
1	Manufacturer:	Catalogue No.:	
TECH/A/608	Roll of Hazzard Warning Floor Tape, 5	0x3300mm, Yellow-Black.	
1	Manufacturer:	Catalogue No.:	
TECH/A/609 12	Lightweight safety spectacles with ful side shields, fitted with replaceable le		
	Manufacturer:	Catalogue No.:	
TECH/A/610 6	Pair Gloves for materials handlings, aband dirt repellent.	prasion and cut resistant; oil, grease	
	Manufacturer:	Catalogue No.:	
TECH/A/611 6	Fume displacement unit, replaceable filter type, bench mounted, 230 V, 50 Hz.		
	Manufacturer:	Catalogue No.:	
TECH/A/612	Plastic bin, minimum 80 litres.		
6	Manufacturer:	Catalogue No.:	
TECH/A/613	Roll of hand paper, 200mm wide, on r	oller stand.	
1	Manufacturer:	Catalogue No.:	
TECH/A/614 24	Banister type c.300mm X 50mm flat-l bristle.	backed Bench Brush. Resin set pure	
	Manufacturer:	Catalogue No.:	
TECH/A/615	600mm Sweeping Brush with Handle.		
4	Manufacturer:	Catalogue No.:	

<u>Note:</u> Equipment to be commissioned and training provided where appropriate. Where servicing is required during the warranty period then the cost should be included in the tender price.

July 2020

	Equipment for Applied Technology/Technology TECH/A			
Section	Code	Description and Specifications:	Total Cost €:	
Section 1	TECH/A/101-121	Drawing and Design		
Section 2	TECH/A/201-266	Hand Tools		
Section 3	TECH/A/301- 312	Power Tools		
Section 4	TECH/A/401- 461	Electronics and Control Technology		
Section 5	TECH/A/501- 508	Structure and Mechanisms		
Section 6	TECH/A/601- 615	Safety Equipment		

Total (€)	
Add for VAT (€)	
Total amount for List A (€)	

Standards, Specifications and Conditions

All Equipment shall be Durable and Safe for School Use.
Equipment wholly or partly funded from public funds is subject to Inspection by
Officers from the Department of Education and Skills.

It is essential that tenders for equipment for School Use shall:

- i) Comply fully with the specifications and be durable and safe for School Use.
- ii) Comply fully with the standards as detailed and shall comply fully with European (EN) standards, both established and developing.
- iii) Comply with European electrical standards and CE marking as appropriate.
- iv) Be accompanied by documentation of sufficient detail for full evaluation.
- v) Include the completed and signed certificate of compliance.

Award of a contract is conditional on the production of a current tax clearance certificate.

Failure to comply with the above may result in the tender being deemed null and void.

Certificate of Compliance with Standards, Specifications & Conditions:		
I/We certify that the equipment tendered complies in all respects requirements/conditions specified in this tender document. I/We hold a current tax clearance certificate.	with the Standards, Specifications and other	
Company:		
Signed:	Date:	
Position:		

TECH / B / 1 July 2020

Applied Technology and Technology Equipment List B

Section 1: Machine Tools and Storage

TECH/B/101 TECH/B/101 TECH/B/101 TECH/B/101 TECH/B/102 TECH/B/102 TECH/B/103 TECH/B/103 TECH/B/104 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/106 TECH/B/106 TECH/B/106 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/108 TECH/B/109 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/105 TECH/B/106 TECH/B/106 TECH/B/107 TECH/B/106 TECH/B/107 TECH/B/107 TECH/B/106 TECH/B/107 TECH/B/107 TECH/B/106 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/106 TECH/B/107 TECH/B/107 TECH/B/106 TECH/B/106 TECH/B/106 TECH/B/107 TECH/B/106 TECH/B/106 TECH/B/106 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/106 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/107 TECH/B/106 TECH/B/107 TECH/	Section 1. Machine 1001s and Storage			
TECH/B/101 1		Description ar	nd Specification	
Manufacturer: Catalogue No.: TECH/B/102 2 Scroll Saw, 450 mm, with tilt table, variable speed motor, sawdust blower, workpiece hold-down and blade guard attachment. Motor c.120-200 W, 230 V. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/103 1 Magnetic folding machine, Capacity: 1250 x 1,6 mm at 400 N/mm², 230 volt. To be supplied with: Wide clamping bar, narrow clamping bar, slotted clamping bar for shallow boxes, segmented clamping bar (finders), sheet support. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/104 1 Manufacturer: Catalogue No.: TECH/B/105 1 Catalogue No.: TECH/B/105 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour.	TECH/B/101	length c.3000 mm - max. Width 19 mm. Cutting height 150 mm - 300 mm, cutting width 300 mm - 400 mm. Blade guard, no-volt release switch,		£
Manufacturer: Catalogue No.: TECH/B/102 2 Scroll Saw, 450 mm, with tilt table, variable speed motor, sawdust blower, workpiece hold-down and blade guard attachment. Motor c.120-200 W, 230 V. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/103 1 Magnetic folding machine, Capacity: 1250 x 1,6 mm at 400 N/mm², 230 volt. To be supplied with: Wide clamping bar, narrow clamping bar, slotted clamping bar for shallow boxes, segmented clamping bar (finders), sheet support. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/104 1 Manufacturer: Catalogue No.: TECH/B/105 1 Catalogue No.: TECH/B/105 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/106 1 Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour.		Three year on-site warranty to include	le parts and labour.	
blower, workpiece hold-down and blade guard attachment. Motor c.120-200 W, 230 V. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/103 1 Magnetic folding machine, Capacity: 1250 x 1,6 mm at 400 N/mm², 230 volt. To be supplied with: Wide clamping bar, narrow clamping bar, slotted clamping bar for shallow boxes, segmented clamping bar (finders), sheet support. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/104 1 Guillotine-Notcher, bench mounted type, table size: c.500 mm x 400 mm, max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous metals: c.3 mm. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/105 1 Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 1 Catalogue No: TECH/B/107 2 Catalogue No: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour. Three year on-site warranty to include parts and labour. TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.				
Manufacturer: Catalogue No.: TECH/B/103 1	1 1	blower, workpiece hold-down and	The state of the s	
TECH/B/103 1 Magnetic folding machine, Capacity: 1250 x 1,6 mm at 400 N/mm², 230 volt. To be supplied with: Wide clamping bar, narrow clamping bar, slotted clamping bar for shallow boxes, segmented clamping bar (finders), sheet support. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/104 1 Guillotine-Notcher, bench mounted type, table size: c.500 mm x 400 mm, max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous metals: c.3 mm. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/105 1 Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Three year on-site warranty to include	le parts and labour.	
volt. To be supplied with: Wide clamping bar, narrow clamping bar, slotted clamping bar for shallow boxes, segmented clamping bar (finders), sheet support. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/104 1 Guillotine-Notcher, bench mounted type, table size: c.500 mm x 400 mm, max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous metals: c.3 mm. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/105 1 Catalogue No.: Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Manufacturer:	Catalogue No.:	
Manufacturer: Catalogue No.: TECH/B/104 Guillotine-Notcher, bench mounted type, table size: c.500 mm x 400 mm, max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous metals: c.3 mm. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/105 Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		volt. To be supplied with: Wide clamping bar, narrow clamping bar, slotted clamping bar for shallow boxes, segmented clamping bar (finders), sheet		
TECH/B/104 1 Guillotine-Notcher, bench mounted type, table size: c.500 mm x 400 mm, max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous metals: c.3 mm. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/105 1 Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Three year on-site warranty to include	le parts and labour.	
max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous metals: c.3 mm. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/105 1 Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Manufacturer:	Catalogue No.:	
Manufacturer: TECH/B/105 1 Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.	l .	max. capacity in ferrous metals: c.1.5 mm, max. capacity in non-ferrous		
TECH/B/105 1 Wood Turning Lathe, c.400 W (0.5 HP), floor-standing with faceplate, c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Three year on-site warranty to include	le parts and labour.	
c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm). Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Manufacturer:	Catalogue No.:	
Manufacturer: TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		c.610 mm between centres, 2 Bar bed, variable speed (c.450-2000 rpm).		
TECH/B/106 1 Bench grinder, complete with eye shields and tool rests. Wheels – diameter c.200 mm, coarse and medium grit type, 230 V, 50 Hz. Three year on-site warranty to include parts and labour. Manufacturer: Catalogue No.: TECH/B/107 2 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.				
Manufacturer: Catalogue No.: TECH/B/107 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Bench grinder, complete with eye shields and tool rests. Wheels – diameter		
TECH/B/107 Drilling Machine, floor-standing pedestal complete with fitted drill chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Three year on-site warranty to include parts and labour.		
chuck, key and chuck guard. 2 kW, 380V 3 phase, 50 Hz. Three year on-site warranty to include parts and labour.		Manufacturer:	Catalogue No.:	
		Drilling Machine, floor-standing pedestal complete with fitted drill		
Manufacturer: Catalogue No.:		Three year on-site warranty to include	le parts and labour.	
		Manufacturer:	Catalogue No.:	

TECH / B / 1 July 2020

TECH / B / 1			July 2020
TECH/B/108 1	Belt sander, c.150 mm wide belt, bench or floor mounted. Fitted with dust extraction facility in accordance with Circular Letter M45/01. Electrics: 230V, 50Hz.		
	Larger machines NOT suitable, for Health and Safety Reasons.		
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/109 1	Vacuum form cutting machine, bench adjustable tilting table, guide fence a Electrics: 230 V, 50 Hz.	· ·	
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/110 1	Vacuum forming machine, bench top min. 450 mm. Electrics – 230 V, 50 H	model, cut sheet size min. 250 mm x z.	
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/111 3	Thermoplastic sheet Strip Heater, 110 V 50Hz 500 mm suitable for bending thermoplastic sheets up to c.6 mm thick.		
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/112 1	Plastic dip coating unit. Minimum capacity 50 litres. Supplied complete with air blower and air pressure regulator together with 20 kg packs of two different colours of polyethylene powder. Electrics: 230 V, 50 Hz.		
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/113 1	Polystyrene Hot Wire Sculptor Cutter, c. 500 mm, 110/230 V, 50 Hz 500 mm cutter. Voltage through wire c.8 V. Two year warranty.		
	Manufacturer:	Catalogue No.:	
TECH/B/114 1	Electric Sharpening system: grinding stone size x width 250mm x 50mm; stone grit K220; leather honing wheel size x width 200 x 30mm; rotation speed min: 80rpm; include jig for straight edges, plane irons, ripping chisels; include angle setting jig for measuring exact angles and settings. Single phase.		
	Three year on-site warranty to includ	e parts and labour.	
	Manufacturer:	Catalogue No.:	
TECH/B/115 2	Tool storage presses with cut-out slots for hand tools, lockable, approximate size 1900mm x 1000mm x 500mm.		
	Manufacturer:	Catalogue No.:	

Section 2: Digital Technologies and Computer Aided Manufacturing (CAM)			
Code Quantity	Description ar	nd Specification	Cost €
TECH/B/201 1	Laptop suitable to run laser cutter an case and wireless optical mouse. 2 Year warranty.	d 3D printer, to be supplied with a	
	Manufacturer:	Catalogue No.:	
TECH/B/202 1	Visualiser: Min. 13 MP Lens, Up to 41 coverage A3 + (533x330mm), USB In 5 year warranty.	K at 30 fps Video, Built-In Mic,	
	Manufacturer:	Catalogue No.:	
TECH/B/203 1	3D Printer: Min volume area 100mm x 100mm x 100mm, Suitable for education purposes (not DIY/home spec.) and capable of high quality printing, user-friendly software based on open-source platform (Compatible with Parametric Modelling software used in Design and Communication Graphics (DCG)), Support materials such as PLA, Fully enclosed print chamber, and Technical support must be available. Roll of PLA to be provided with machine. Two year on-site warranty to include parts and labour.		
	Manufacturer:	Catalogue No.:	
TECH/B/204 1	Portable CNC design/vinyl cutter, with plotting area to 250 mm x 1000 mm to include appropriate computer operating software. 2 no. 1 metre vinyl rolls to be supplied.		
	Three year on-site warranty to includ		
	Manufacturer:	Catalogue No.:	
TECH/B/205 1	Laser cutter/engraver: CO2, workable on a variety of materials, minimum engraving area 300mm x 300mm, accommodate minimum 100mm thickness, minimum 30 Watt laser tube, open source software and driver, Raster & Vector operating modes, single phase, must come with a Vector grid, Air compressor and Fume extraction system, and Technical support must be available.		
	2 year on-site warranty on machine and CO2 tube.		
	NOTE:		
	Only 1 laser cutter to share between Engineering, Technology and Construction Studies room.		
	If school offers any of these three sul any of these rooms) they are entitled		
	Location of laser cutter is identified of	on each of the room layouts.	
	Manufacturer:	Catalogue No.:	

<u>Note:</u> Equipment to be commissioned and training provided where appropriate. Where servicing is required during the warranty period then the cost should be included in the tender price.

July 2020

			July 2020	
	Equipment for Applied Technology/Technology TECH/A			
Section	Code	Description and Specifications:	Total Cost €:	
Section 1	TECH/B/101-115	Machine Tools and Storage		
Section 2	TECH/B/201-205	Digital Technologies and Computer Aided Manufacturing		

Total (€)	
Add for VAT (€)	
Total amount for List B (€)	

Standards, Specifications and Conditions

All Equipment shall be Durable and Safe for School Use.
Equipment wholly or partly funded from public funds is subject to Inspection by
Officers from the Department of Education and Skills.

It is essential that tenders for equipment for School Use shall:

- i) Comply fully with the specifications and be durable and safe for School Use.
- ii) Comply fully with the standards as detailed and shall comply fully with European (EN) standards, both established and developing.
- iii) Comply with European electrical standards and CE marking as appropriate.
- iv) Be accompanied by documentation of sufficient detail for full evaluation.
- v) Include the completed and signed certificate of compliance.

Award of a contract is conditional on the production of a current tax clearance certificate.

Failure to comply with the above may result in the tender being deemed null and void.

Certificate of Compliance with Standards, Specifications & Conditions: I/We certify that the equipment tendered complies in all respects with the Standards, Specifications and other requirements/conditions specified in this tender document. I/We hold a current tax clearance certificate. Company: Signed: Date: